



APPROVAL PROCESS 2022-23

Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)

Regional Office	South-Central	Overall Deficiency of Institution:	No
Application ID	1-10975064889	Permanent ID	1-6656101
Name of the Institution	Chaitanya Engineering College	Address	Kommadi, Madhurawada, Visakhapatnam-530041 Andhra Pradesh
City/Village	Visakhapatnam	District	Vishakhapatnam
State	Andhra Pradesh	PIN	530048

Director/Principal Details

Designation	Name	Appointment Type	Qualification	PhD	Eligible as per AICTE Norms (YES/NO)
Director/Principal	Suresh Kutcharlapati	Regular	BTECH, M.TECH,	Yes	Yes

Other Details

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No
2.	Are all Approved Teaching Faculty Member being Paid as per Present Pay VI/Scale/Commission?	Yes	No
3.	Whether Institution is Operating from Permanent Site?	Yes	No
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes	No
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	No Hostel	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	No Hostel	No

Institution Level Faculty Member

Sr. No.	Particulars	Actual No.	Required No. as per CI	Deficiency
1.	Total Faculty(UG+PG+Diploma)	198	176	No

Administrative Area

Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
---------	-------------	--------------------------	----------------------------	------------

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Printed By : ae223767

Page 1 of 5


PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
Kommadi, Visakhapatnam-530 048

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Scrutiny Scheduled

Report Generated on :-03/06/2022

1.	Board Room	33	20	No
2.	Department Offices/Cabin for Head of Dept	213	160	No
3.	Central Store	33	30	No
4.	Exam Control Office	39	30	No
5.	Housekeeping	10	10	No
6.	Maintenance	16	10	No
7.	Office All Inclusive	450	300	No
8.	Placement Office	66	30	No
9.	Principal Directors Office	33	30	No
10.	Security	10	10	No
TOTAL		903.00	630.00	

Amenities Area

Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1.	Boys Common Room	100	100	No
2.	Cafeteria	150	150	No
3.	First aid cum Sick Room	16	10	No
4.	Girls Common Room	132	100	No
5.	Stationery Store	15	10	No
TOTAL		413.00	370.00	

Computational Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Printers	40	34	No
2.	A1 size Color Printers	5	0	No
3.	Legal Application S/W	30	30	No
4.	Legal System S/W	4	4	No
5.	PCs to Student ratio	773	664	No

Library Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Volumes	36200	30300	No
2.	Titles	7250	6200	No
3.	Journals	181	120	No
4.	Library Management Software	1	1	No
5.	Reading Room Seating Capacity	150	150	No
6.	MultiMediaPC	16	10	No
				2

Instructional Area-Common Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Computer Center	455	300	No
2.	Library & Reading Room	1091	940	No


Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Printed By : ae223767

Page 2 of 5


PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
 Kammadi, Visakhapatnam-530 048

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Scrutiny Scheduled

Report Generated on :-03/06/2022

3.	Language Laboratory	70	33	No
TOTAL		1616.00	1273.00	

Land Area Details

Sr. No.	Particulars	Available	Required	Deficiency
1.	Total Area of Land	10.535	7.5	No
2.	Maximum number of Pieces	1	2	No

Existing Programme / ENGINEERING AND TECHNOLOGY

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	UG	2866	1914	No
2.	Tutorial Room	UG	502	264	No
3.	Seminar Hall	UG/PG	824	132	No
4.	Additional Workshop	UG/PG	603	200	No
5.	Drawing Hall	UG/PG	814	132	No
6.	Workshop	UG/PG	804	200	No
7.	Laboratory	UG	3252	2244	No
8.	Classroom	PG	627	198	No
9.	Laboratory	PG	960	330	No
TOTAL			11252.00	5614.00	

Existing Programme / ENGINEERING AND TECHNOLOGY-Diploma

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	DIPLOMA	1740	1188	No
2.	Tutorial Room	DIPLOMA	173	165	No
3.	Seminar Hall	DIPLOMA	150	132	No
4.	Additional Workshop	DIPLOMA	200	150	No
5.	Drawing Hall	DIPLOMA	200	132	No
6.	Workshop	DIPLOMA	200	200	No
7.	Laboratory	DIPLOMA	1601	1320	No
TOTAL			4264.00	3287.00	

Existing Programme / MANAGEMENT

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	PG	264	132	No
2.	Tutorial Room	PG	33	33	No
3.	Seminar Hall	UG/PG	132	132	No
TOTAL			429.00	297.00	

Other Facilities

Sr. No.	Particulars	Availability	Deficiency
---------	-------------	--------------	------------

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Printed By : ae223767

Page 3 of 5


PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
 Kommadi, Visakhapatnam-530 008

Application Deficiency Report



Application Status: **Submitted**
 Application Sub-Status: **Scrutiny Scheduled**

Report Generated on :-03/06/2022

1.	All Weather Approach(Motorised Road)	Yes	No
2.	Safety Provisions	Yes	No
3.	Sewage Disposal System	Yes	No
4.	Telephone	Yes	No
5.	Vehicle Parking	Yes	No
6.	First Aid	Yes	No
7.	Appointment of Student Counselor	Yes	No
8.	Establishment of Anti-Ragging Committee	Yes	No
9.	Establishment of Committee for SC/ST	Yes	No
10.	Establishment of Internal Complaint Committee(ICC)	Yes	No
11.	Establishment of Grievance Redressal Committee/OMBUDSMAN	Yes	No
12.	Barrier free Enviroment	Yes	No
13.	AICTE Approval Letters- EoA/LoA	Yes	No
14.	Institution-Industry Cell	Yes	No
15.	Digital Payment-Financial Transactions	Yes	No
16.	Food Safety and Standards	Yes	No
17.	Insurance for Students	Yes	No
18.	Online Grievance Rederssal Mechanism	Yes	No
19.	Internal Quality Assurance Cell	Yes	No
20.	Fire and Safety Certificate	Yes	No
21.	Atleast 5 MoUs with industries	Yes	No
22.	Display of info submitted to AICTE on website	Yes	No
23.	General Insurance	Yes	No
24.	Backup Electric Supply	Yes	No
25.	Group accident policy for employees	Yes	No
26.	Implementation of student Induction Programme	Yes	No
27.	Waste Management and a sustainable Green Campus	Yes	No
28.	Display of Course(s) and Approved In entrance	Yes	No
29.	Institution Web Site-Mandatory Disclosure	Yes	No
30.	Medical & Counseling	Yes	No
31.	Notice Boards	Yes	No
32.	Potable Water Supply	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Printed By : ae223767

Page 4 of 5

(Handwritten Signature)

PRINCIPAL
CHATANYA ENGINEERING COLLEGE
 Kommadi, Visakhapatnam-530 048

PRINCIPAL
CHATANYA ENGINEERING COLLEGE
 Kommadi, Visakhapatnam-530 048

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Scrutiny Scheduled

Report Generated on :-03/06/2022

DECLARATION

BY THE AUTHORIZED SIGNATORY OF THE INSTITUTION/DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations 2021, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2021, also all provisions mentioned in the Approval Process Handbook 2022-23.
- b) I am fully aware of the data uploaded by me in respect of my Institution on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once submitted on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women Institution into Co-ed Institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Handbook 2022-23.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my Institution on the web portal.
- f) I am also aware that Institution is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2022-23), Increase in Intake/ Additional Course(s), Change in name of the Course(s)/ Reduction in Intake/ Closure of Programme(s) and/ or Course(s), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Handbook 2022-23.

Signature of Authorized Signatory

Name :

Date of Signature(dd/mm/yyyy)


Seal of Institution

Name & Signature of Director/Principal

Printed By : ae223767

Page 5 of 5

PRINCIPAL
CHATANYA ENGINEERING COLLEGE
Vammadi, Visakhapatnam-530 048



Home



Reset Password



About View



About Record



Downloads



Report(s)



Support



Core Branch List

Recommended by Council

1

Institution

Contact

Course

Faculty

Infrastructure

Committee

Library

Finance

Deficiency

Attac

s: Basic Details

Number: *

Permanent Institute Id:

1-6656101

Academic Year: *

2021-2022

Institute Current Status:

EOA Recommended by C

Deficiency:

Overall Deficiency(Y/N):

N

Attend Scrutiny Committee Date:

28/06/2021

Reopened:

Reopened Application Date:

Application Submitted Date:


24/04/2021

s: More Information

Address of Institution: *

State/UT: *

District: *


PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
Kommerdi, Visakhapatnam-530 048



APPROVAL PROCESS 2020-21

Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)

Regional Office	South-Central	Overall Deficiency of Institution:	No
Application ID	1-7022310307	Permanent ID	1-6656101
Name of the Institution	Chaitanya Engineering College	Address	Kommadi, Madhurawada, Visakhapatnam-530041 Andhra Pradesh
City/Village	Visakhapatnam	District	Vishakhapatnam
State	Andhra Pradesh	PIN	530048

Director/Principal Details

Designation	Name	Appointment Type	Qualification	PhD	Qualified as per AICTE Norms (YES/NO)
Director/Principal	Uma Maheswara Rao Rayavarapu	Regular	BTECH, M.TECH,	Yes	Yes

Other Details

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No
2.	Are all Approved Teaching Faculty Member being Paid as per Present Pay Scale/Commission?	Yes	No
3.	Whether Institution is Operating from Permanent Site?	Yes	No
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes	No
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	No Hostel	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	No Hostel	No

Ombudsman Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Grievance Committee	Yes	No

Institution Level Faculty Member

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Printed By : ae223767

Page 1 of 5


PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
Kommadi, Visakhapatnam-530 048

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-16/03/2020

Sr. No.	Particulars	Actual No.	Required No. as per CI	Deficiency
1.	Total Faculty(UG+PG+Diploma)	264	215	No

Administrative Area

Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
1.	Board Room	33	20	No
2.	Department Offices/Cabin for Head of Dept	213	140	No
3.	Central Store	33	30	No
4.	Exam Control Office	39	30	No
5.	Housekeeping	10	10	No
6.	Maintenance	16	10	No
7.	Office All Inclusive	450	300	No
8.	Placement Office	66	30	No
9.	Principal Directors Office	33	30	No
10.	Security	10	10	No
TOTAL		903.00	610.00	

Amenities Area

Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1.	Boys Common Room	100	100	No
2.	Cafeteria	150	150	No
3.	First aid cum Sick Room	16	10	No
4.	Girls Common Room	132	100	No
5.	Stationery Store	15	10	No
TOTAL		413.00	370.00	

Computational Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Internet Bandwidth	100	100	No
2.	Printers	40	38	No
3.	A1 size Color Printers	5	0	No
4.	Legal Application S/W	30	30	No
5.	Legal System S/W	4	4	No
6.	PCs to Student ratio	773	752	No

Library Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Volumes	36200	33700	No
2.	Titles	7250	7150	No
3.	Journals	181	126	No
4.	Library Management Software	1	1	No
5.	Reading Room Seating Capacity	150	150	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Printed By : ae223767

Page 2 of 5


PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
 Gammadi, Visakhapatnam-530 048

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-16/03/2020

6.	MultiMediaPC	16	10	No
			2	

Instructional Area-Common Facilities				
Sr. No.	Particulars	Available	Required	Deficiency
1.	Computer Center	455	300	No
2.	Library & Reading Room	1091	1083	No
3.	Language Laboratory	70	66	No
TOTAL		1616.00	1449.00	

Land Area Details				
Sr. No.	Particulars	Available	Required	Deficiency
1.	Total Area of Land	10.535	7.5	No
2.	Maximum number of Pieces	1	2	No

Existing Programme / ENGINEERING AND TECHNOLOGY					
Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	UG	2866	2112	No
2.	Tutorial Room	UG	502	264	No
3.	Seminar Hall	UG/PG	824	132	No
4.	Additional Workshop	UG/PG	603	200	No
5.	Drawing Hall	UG/PG	814	264	No
6.	Workshop	UG/PG	804	400	No
7.	Laboratory	UG	3252	2904	No
8.	Classroom	PG	627	297	No
9.	Laboratory	PG	960	462	No
TOTAL			11252.00	7035.00	

Existing Programme / ENGINEERING AND TECHNOLOGY-Diploma					
Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	DIPLOMA	1740	1188	No
2.	Tutorial Room	DIPLOMA	173	165	No
3.	Seminar Hall	DIPLOMA	150	132	No
4.	Additional Workshop	DIPLOMA	200	150	No
5.	Drawing Hall	DIPLOMA	200	132	No
6.	Workshop	DIPLOMA	200	200	No
7.	Laboratory	DIPLOMA	1601	1584	No
TOTAL			4264.00	3551.00	

Existing Programme / MANAGEMENT					
Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	PG	264	264	No


Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Printed By : ae223767

Page 3 of 5


PRINCIPAL
CHATANYA ENGINEERING COLLEGE
Kommed, Visakhapatnam-530 048

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-16/03/2020

2.	Tutorial Room	PG	33	33	No
3.	Seminar Hall	UG/PG	132	132	No
TOTAL			429.00	429.00	

Other Facilities			
Sr. No.	Particulars	Availability	Deficiency
1.	All Weather Approach(Motorised Road)	Yes	No
2.	Safety Provisions	Yes	No
3.	Sewage Disposal System	Yes	No
4.	Telephone	Yes	No
5.	Vehicle Parking	Yes	No
6.	First Aid	Yes	No
7.	Appointment: Student Counselor	Yes	No
8.	Establishment: Anti-Ragging Committee	Yes	No
9.	Establishment: Committee for SC/ST	Yes	No
10.	Establishment: Internal Complaint Committee(ICC)	Yes	No
11.	Estb: Grievance Redressal Committee/OMBUDSMAN	Yes	No
12.	Barrier free Enviroment	Yes	No
13.	AICTE Approval Letters- EoA/LoA	Yes	No
14.	Institution-Industry Cell	Yes	No
15.	Digital Payment-Financial Transactions	Yes	No
16.	Food Safety and Standards	Yes	No
17.	Insurance for Students	Yes	No
18.	Applied membership-National Digital Library	Yes	No
19.	Online Grievance Rederssal Mechanism	Yes	No
20.	Internal Quality Assurance Cell	Yes	No
21.	Fire and Safety Certificate	Yes	No
22.	Atleast 5 MoUs with industries	Yes	No
23.	Display of info submitted to AICTE on website	Yes	No
24.	General Insurance	Yes	No
25.	Backup Electric Supply	Yes	No
26.	Group accident policy for employees	Yes	No
27.	Rain Water Harvesting	Yes	No
28.	Implementation of student Induction Programme	Yes	No
29.	Waste Management and a sustainable Green Campus	Yes	No
30.	Institution Web Site	Yes	No
31.	Medical & Counseling	Yes	No
32.	Notice Boards	Yes	No
33.	Potable Water Supply	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Printed By : ae223767

Page 4 of 5


PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
Kommadi, Visakhapatnam-530 048

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-16/03/2020

DECLARATION

BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTION DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations 2020, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2020, also all provisions mentioned in the Approval Process Hand Book 2020-21.
- b) I am fully aware of the data uploaded by me in respect of my Institution on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EoA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women Institution into Co-ed Institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2020-21.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my Institution on the portal.
- f) I am also aware that Institution is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2020-21), Change in name of the Course(s)/ Reduction in Intake/ Closure of Programme(s) and/ or Course(s), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2020-21.

Signature of Director/Registrar/ Principal

Name :

Seal/Stamp of the University /Institution Department

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Printed By : ae223767

Page 5 of 5


PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
Kommadi, Visakhapatnam-530 048



APPROVAL PROCESS 2019-20

Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutes only)

		Regional Office	South-Central
Application Id	1-4261265341	Permanent Id	1-6656101
Name of the Institute	CHAITANYA ENGINEERING COLLEGE	Address	KOMMADI, MADHURAWADA, VISAKHAPATNAM-530041 ANDHRA PRADESH
City/Village	VISAKHAPATNAM	District	VISHAKHAPATNAM
State	Andhra Pradesh	Pin	530048

Overall Deficiency of Institute: **No**

Designation	Name	Appointment Type	Qualification	PhD	Qualified as per AICTE norms (YES/NO)
Principal/Direct	SURYA KALYAN GARIMEELA	Regular	BTECH, M.TECH,	Yes	YES

Other Details

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal	Yes	No
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
4	Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Constitution of Anti-Ragging Committee	Yes	No
2	Constitution of Anti-Ragging Squad	Yes	No
3	Undertaking obtained from all Students	Yes	No
4	Appointment of Counselors	Yes	No
5	Undertaking obtained from parents of all the students	Yes	No
6	Undertaking obtained from students staying in Hostel	No Hostel	No
7	Undertaking obtained from parents of students staying in Hostel	No Hostel	No

Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No

Faculty

Institute Level Faculty

Type	Actual No.	Required No. as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	256	191	No

Administrative Area

Type	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	33	30	No
Board Room	33	20	No
Office All Inclusive	450	300	No
Department Offices/Cabin for Head of Dept	213	140	No
Central Store	33	30	No
Maintenance	16	10	No
Security	10	10	No
Housekeeping	10	10	No
Pantry for Staff/Faculty	10	10	No
Exam Control Office	39	30	No
Training Placement Office	66	30	No


Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae223767

Page 1 of 5


PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
Kommadi, Visakhapatnam-530 048

Application Deficiency Report



Application Status: EOA Recommended by Council
Application Sub-Status:

Report Generated on :-16/04/2019

TOTAL	913.00	620.00	
-------	--------	--------	--

Amenities Area			
Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	100	100	No
Girls Common Room	132	100	No
Cafeteria	150	150	No
Stationery Store & Reprography	15	10	No
First aid cum Sick Room	16	10	No
TOTAL	413.00	370.00	

Computational Facilities			
Type	Available	Required	Deficiency
Internet Bandwidth	64	64	No
Printers	27	27	No
A1 size Color Printers	5	0	No
Number of PCs in Language lab	100	20	No
Legal Application S/W	30	30	No
Legal System S/W	4	4	No
PCs to Student ratio	550	534	No

Library Facilities			
Type	Available	Required	Deficiency
Volumes	36200	32350	No
e-Books Volumes	3800	3800	No
Titles	7250	6800	No
e-Books Titles	350	350	No
Journals	181	114	No
Library Management Software	1	1	No
Reading Room Seating Capacity	150	150	No
MultiMediaPC	16	10	No

Instructional Area-Common Facilities			
Type	Available	Required	Deficiency
Computer Center	455	300	No
Library & Reading Room	701	690	No
Language Laboratory	70	66	No
TOTAL	1226.00	1056.00	

Land Area Details			
Type	Available	Required	Deficiency
Total Area of Land	10.535	7.5	No
Maximum number of Pieces	1	1	No
Minimum per Piece of Area	10.535	7.5	No

ENGINEERING AND TECHNOLOGY / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	3368	2475	No
Additional Workshop/Labs	UG/PG	603	200	No
Class Rooms - PG	POST GRADUATE	1023	297	No
Laboratories-All	UG/PG	4212	3630	No
Workshops - Basic	UG/PG	804	400	No
Drawing Halls	UG/PG	814	264	No
Seminar Hall	UG/PG	824	132	No
TOTAL		11648.00	7398.00	

MANAGEMENT / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency

Date of Signature(dd/mm/yyyy)

Printed By : ae223767

Seal of Institute

(Handwritten Signature)

PRINCIPAL
CHATANYA ENGINEERING COLLEGE
Kommadi, Visakhapatnam-530 048

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: EOA Recommended by Council
Application Sub-Status:

Report Generated on :-16/04/2019

Class Room-Tutorial Room	POST GRADAUTE	330	297	No
Computer Laboratory	POST GRADAUTE	66	66	No
Seminar Hall	POST GRADAUTE	198	132	No
TOTAL		594.00	495.00	

Other Facilities			
Sr. No.	Type	Availability	Deficiency
1.	All Weather Approach(Motorised Road)	Yes	No
2.	Barrier free Enviroment	Yes	No
3.	Electrical Grid Power Supply Connection	Yes	No
4.	General Insurance	Yes	No
5.	Institution Web Site	Yes	No
6.	Standalone Language Laboratory	Yes	No
7.	Medical & Counseling	Yes	No
8.	Notice Boards	Yes	No
9.	Portable Water Supply	Yes	No
10.	Safety Provisions	Yes	No
11.	Sewage Disposal System	Yes	No
12.	Telephone	Yes	No
13.	Vehicle Parking	Yes	No
14.	First Aid	Yes	No
15.	Appointment: Student Counselor	Yes	No
16.	Establishment: Anti-Ragging Committee	Yes	No
17.	Establishment: Committee for SC/ST	Yes	No
18.	Establishment: Internal Complaint Committee(ICC)	Yes	No
19.	Estb: Grievance Redressal Committee/OMBUDSMAN	Yes	No
20.	AICTE Approval Letters- EoA/LoA	Yes	No
21.	Provision to watch MOOCS courses-Swayam	Yes	No
22.	Institution-Industry Cell	Yes	No
23.	Digital Payment-Financial Transactions	Yes	No
24.	Display Board- Feedback facility	Yes	No
25.	Food Safety and Standards	Yes	No
26.	Insurance for Students	Yes	No
27.	Applied membership-National Digital Library	Yes	No
28.	Implementation of Security Measures	Yes	No

Date of Signature(dd/mm/yyyy)

Printed By : ae223767

Seal of Institute

PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
Kommadi, Visakhapatnam-530 048

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: EOA Recommended by Council
Application Sub-Status:

Report Generated on :-16/04/2019

29.	Online Grievance Rederssal Mechanism	Yes	No
30.	Internal Quality Assurance Cell	Yes	No
31.	Fire and Safety Certificate	Yes	No
32.	Mandatory internship policy for students	Yes	No
33.	Teacher training policy	Yes	No
34.	Examinations Reforms	Yes	No
35.	Atleast 5 MoUs with industries	Yes	No
36.	Display of info submitted to AICTE on website	Yes	No
37.	Sports facilities	Yes	No
38.	Backup Electric Supply	Yes	No
39.	Group accident policy for employees	Yes	No

Note

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

*** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

***Note :- All the Dates in the Report are in (dd/mm/yyyy) format

Date of Signature(dd/mm/yyyy)

Printed By : ae223767

 Seal of Institute

Name & Signature of Director/Principal

Page 4 of 5

PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
Kommadi, Visakhapatnam-530 048

Application Deficiency Report



Application Status: EOA Recommended by Council
Application Sub-Status:

Report Generated on :-16/04/2019

DECLARATION

BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTE/UNIVERSITY DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India - Extraordinary Part III, Section- 4 and its amendment 05th December 2017 also the various provisions mentioned in the Approval Process Hand Book 2019-20.
- b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2019-20.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.
- f) I am also aware that Institute is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2019-20), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2019-20.

Signature of Principal/Director/Registrar

Name :

Seal/Stamp of the Institute/University Department

Date of Signature(dd/mm/yyyy)

Printed By : ae223767


Seal of Institute
PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
Kannur, Malappuram-530 048

Name & Signature of Director/Principal

Page 5 of 5

All India Council for Technical Education

(An Autonomous Organization, Under Ministry of HRD, Govt. of India)

Nelson Mandela Marg, Vasant Kunj, New Delhi-110067 Website: <https://www.aicte-india.org>



APPROVAL PROCESS 2018-19

Application Deficiency Report

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for Existing Institutes only)

		Regional Office	South-Central	
Application Id	1-3513611736	Permanent Id	1-6656101	
Name of the Institute	CHAITANYA ENGINEERING COLLEGE	Address	KOMMADI, MADHURAWADA, VISAKHAPATNAM-530041 ANDHRA PRADESH	
City/Village	VISAKHAPATNAM	District	VISHAKHAPATNAM	
State	Andhra Pradesh	Pin	530048	

Overall Deficiency of Institute: **No**

Designation	Name	Appointment Type	Qualification	PhD
Principal/Director	SUEESH KUTCHARLAPATI	Regular	BTECH, M.TECH,	No

Other Details

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal	Yes	No
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
4	Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Constitution of Anti-Ragging Committee	Yes	No
2	Constitution of Anti-Ragging Squad	Yes	No
3	Undertaking obtained from all Students	Yes	No
4	Appointment of Counselors	Yes	No
5	Undertaking obtained from parents of all the students	Yes	No
6	Undertaking obtained from students staying in Hostel	No Hostel	No
7	Undertaking obtained from parents of students staying in Hostel	No Hostel	No

Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No

Total Number of Students in Institute

(i)	No. of Students UG	2640
(ii)	No. of Students PG	456
(iii)	No. of Students DIPLOMA	1440
	Total Students (CI) (UG+PG+DIPLOMA)	4536

Faculty

Institute Level Faculty

Type	Actual No.	Required No. as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	240	191	No

Administrative Area

Type	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	33	30	No
Board Room	33	20	No
Office All Inclusive	450	300	No
Department Offices/Cabin for Head of Dept	213	140	No
Central Store	33	30	No
Maintenance	16	10	No
Security	10	10	No
Housekeeping	10	10	No
Pantry for Staff/Faculty	10	10	No

Date of Signature(dd/mm/yyyy)

Printed By : ae223767

 Seal of Institute

Name & Signature of Director/Principal

Page 1 of 5

PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
Kommadi, Madhapatnam-530 048

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-09/02/2018

Exam Control Office	39	30	No
Training Placement Office	66	30	No

Amenities Area			
Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	100	100	No
Girls Common Room	132	100	No
Cafeteria	150	150	No
Stationery Store & Reprography	15	10	No
First aid cum Sick Room	16	10	No

Computational Facilities			
Type	Available	Required	Deficiency
Internet Bandwidth	64	48	No
Printers	70	27	No
A1 size Color Printers	0	0	No
Legal Application S/W	30	30	No
Legal System S/W	10	4	No
PCs to Student ratio	889	534	No

Library Facilities			
Type	Available	Required	Deficiency
Volumes	24582	18650	No
Titles	3515	2900	No
National Journals	78	72	No
Library Management Software	1	1	No
Reading Room Capacity	150	150	No
MultiMediaPC	16	10	No

Instructional Area-Common Facilities			
Type	Available	Required	Deficiency
Computer Center	455	300	No
Library & Reading Room	701	690	No
Language Laboratory	70	66	No

Land Area Details			
Type	Available	Required	Deficiency
Total Area of Land	10.535	7.5	No
Maximum number of Pieces	1	1	No
Minimum per Piece of Area	10.535	7.5	No


ENGINEERING AND TECHNOLOGY / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	3368	2475	No
Additional Workshop/Labs	UG/PG	603	400	No
Class Rooms - PG	POST GRADUATE	1023	198	No
Laboratories-All	UG/PG	4212	3156	No
Workshops - Basic	UG/PG	804	200	No
Drawing Halls	UG/PG	814	132	No
Seminar Hall	UG/PG	1124	396	No

MANAGEMENT / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	330	231	No
Seminar Hall	POST GRADUATE	132	132	No

Other Facilities			
Sr. No.	Type	Availability	Deficiency

Date of Signature(dd/mm/yyyy)

Printed By : ae223767


 Seal of Institute
PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
 Kommadi, Visakhapatnam-530 048

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-09/02/2018

1	All Weather Approach (Motorised Road)	Yes	No
2	Barrier free Environment	Yes	No
3	Electric Supply	Yes	No
4	General Insurance	Yes	No
5	Institution Web Site	Yes	No
6	Standalone Language Laboratory	Yes	No
7	Medical & Counseling	Yes	No
8	Notice Boards	Yes	No
9	Potable Water Supply	Yes	No
10	Safety Provisions	Yes	No
11	Sewage Disposal System	Yes	No
12	Telephone & FAX	Yes	No
13	Vehicle Parking	Yes	No
14	First Aid	Yes	No
15	Appointment of Student Counsellor	Yes	No
16	Establishment of Anti Ragging committee	Yes	No
17	Establishment of committee for SC/ST	Yes	No
18	Establishment of Internal Complaint Committee(ICC) As per section 4 of SexualHarassment of Women at Workplace (Prevention, Prohibition and Redressal) Act,2013	Yes	No
19	Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No
20	Digital Payment for all Financial Transactions as per MHRD Directives	Yes	No
21	Compliance of the National Academic Depository(NAD) as per MHRD Directives	Yes	No
22	Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty available in the AICTE Web Portal	Yes	No
23	Implementing Food Safety and Standard Act,2006 in the Institution	Yes	No
24	Copies of AICTE Approvals (LOA and EOA of subsequent years)obtained since Inception of Institution till date shall be placed in the Website of the Institution	Yes	No
25	Provision to watch MOOCS Courses through Swayam	Yes	No
26	Implementation ofUnnat Bharat Abhiyan	Yes	No
27	Institution-Industry Cell	Yes	No
28	Group Insurance for Employees	Yes	No
29	Insurance for Students	Yes	No
30	Applied membership-National Digital Library	Yes	No
31	Implementation of Security Measures	Yes	No
32	Online Grievance Rederssal Mechanism	Yes	No

DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2018-2019

Computational Facilities			
Type	Available	Required	Deficiency
Internet Bandwidth-Applied Intake	64	64	No
Printers-Applied Intake	70	27	No
A1 size Color Printers-Applied Intake	0	0	No
Legal Application S/W-Applied Intake	30	30	No
Legal System S/W-Applied Intake	10	4	No
PCs to Student ratio-Applied Intake	889	534	No

Library Facilities			
Type	Available	Required	Deficiency
Volumes	24582	19150	No
Titles	3515	3200	No
National Journals	78	72	No
Library Management Software	1	1	No
Reading Room Capacity	150	150	No
MultiMediaPC	16	10	No

Date of Signature(dd/mm/yyyy)

Printed By : ae223767


PRINCIPAL

Seal of Institute

Name & Signature of Director/Principal

CHAITANYA ENGINEERING COLLEGE
Kommadi, Visakhapatnam-530 048

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-09/02/2018



ENGINEERING AND TECHNOLOGY / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	3368	2475	No
Additional Workshop/Labs	UG/PG	603	400	No
Class Rooms - PG	POST GRADUATE	1023	297	No
Laboratories-All	UG/PG	4212	4212	No
Workshops - Basic	UG/PG	734	400	No
Drawing Halls	UG/PG	564	264	No
Seminar Hall	UG/PG	974	726	No

MANAGEMENT / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	330	231	No
Seminar Hall	POST GRADUATE	132	132	No

Note

- XX- No Rooms Available
- DNA- Data Not Available / Insufficient Data
- Blank Field-Data Not Entered
- * Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable
- ^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable
- ** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable
- *** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable
- ***Note :- All the Dates in the Report are in (dd/mm/yyyy) format

Date of Signature(dd/mm/yyyy)

Printed By : ae223767


PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
 Kommadi, Visakhapatnam-530 048

Seal of Institute

Name & Signature of Director/Principal

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-09/02/2018



DECLARATION

BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTE/UNIVERSITY DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India - Extraordinary Part III, Section- 4 and its amendment 05th December 2017 also the various provisions mentioned in the Approval Process Hand Book 2018-19.
- b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2018-19.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.
- f) I am also aware that Institute is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2018-19), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2018-19.

Signature of Principal/Director/Registrar

Name :

Seal/Stamp of the Institute/University Department

Date of Signature(dd/mm/yyyy)

Printed By : ae223767


Seal of Institute
PRINCIPAL
CHAITANYA ENGINEERING COLLEGE
Kommadi, Visakhapatnam-530 048

Seal of Institute

Name & Signature of Director/Principal

Page 5 of 5